

JOURNAL PRE-PROOF

This is an early version of the article, published prior to copyediting, typesetting, and editorial correction. The manuscript has been accepted for publication and is now available online to ensure early dissemination, author visibility, and citation tracking prior to the formal issue publication.

It has not undergone final language verification, formatting, or technical editing by the journal's editorial team. Content is subject to change in the final Version of Record.

To differentiate this version, it is marked as "PRE-PROOF PUBLICATION" and should be cited with the provided DOI. A visible watermark on each page indicates its preliminary status.

The final version will appear in a regular issue of *Archives of Acoustics*, with final metadata, layout, and pagination.



Title: Application of ISO 12913 Standard to Assess Urban Soundscapes: A Case Study on Poznań

Author(s): Jakub Dumanowski, Anna Preis, Jan Felcyn

DOI: <https://doi.org/10.24423/archacoust.2026.4337>

Journal: *Archives of Acoustics*

ISSN: 0137-5075, e-ISSN: 2300-262X

Publication status: In press

Received: 2025-09-17

Revised: 2026-01-20

Accepted: 2026-01-27

Published pre-proof: 2026-01-30

Please cite this article as:

Dumanowski J., Preis A., Felcyn J. (2026), Application of ISO 12913 Standard to Assess Urban Soundscapes: A Case Study on Poznań, *Archives of Acoustics*, <https://doi.org/10.24423/archacoust.2026.4337>

Copyright © 2026 The Author(s).

This work is licensed under the Creative Commons Attribution 4.0 International CC BY 4.0.

Application of ISO 12913 Standard to Assess Urban Soundscapes: A Case Study on Poznań

Jakub DUMANOWSKI* <https://orcid.org/0009-0000-7544-0957>,

Anna PREIS <https://orcid.org/0000-0002-9939-9722>, Jan FELCYN <https://orcid.org/0000-0002-5613-4441>

Department of Acoustics, Adam Mickiewicz University in Poznań, Poznań, Poland

*Corresponding Author: jakub.dumanowski@amu.edu.pl

ISO 12913 standards provide a unified framework for describing and assessing soundscapes, yet the absence of a Polish translation has so far limited their practical use. This paper presents the first application of a validated Polish version of the ISO 12913-2 perceptual attributes, enabling full cross-language comparability of results. Whereas Polish research has traditionally focused on noise annoyance and broad judgements of acoustic comfort or discomfort, we outline the complete ISO-compliant assessment procedure, which combines: a soundwalk, questionnaires and audio-visual recording. The study was conducted at eight diverse urban locations in Poznań, Poland. Participants rated the soundscapes using eight attributes: *przyjemne*, *tętniące życiem*, *bogate w wydarzenia*, *chaotyczne*, *dokuczliwe*, *monotonne*, *ubogie w wydarzenia*, *spokojne*. Each rating set is mapped to a point in the two-dimensional pleasantness-eventfulness space defined in ISO 12913-3, facilitating visual comparison of locations and the identification of design needs. Results reveal pronounced perceptual differences between spatial typologies and demonstrate that the standardized approach provides richer, multidimensional information about the acoustic environment than conventional noise indicators. The proposed methodology establishes a reference framework for Polish soundscape studies and can support the creation of more people-friendly urban acoustic environments.

Keywords: soundscape, ISO 12913, Polish translation, soundwalk, perceptual attributes.

1. Introduction

The ISO 12913 standards provide a unified framework for describing and assessing soundscapes. Part 1 (ISO, 2014) defines the concept of a “soundscape” and presents its conceptual model. Part 2 (ISO, 2018) specifies the requirements for data collection and

reporting in soundscape studies, while Part 3 (ISO, 2025) sets out methods for analyzing and interpreting those data. Method A in Part 2 is a valuable source for acquiring quantitative data during soundwalks. The questionnaire permits a subjective evaluation of the perceived affective quality of the acoustic environment using eight attributes - pleasant, vibrant, eventful, chaotic, annoying, monotonous and calm - on a five-point bipolar Likert scale. These attributes are embedded in the Soundscape Circumplex Model (Axelsson *et al.*, 2010; ISO, 2025). In the ideal circumplex, adjacent attributes (i.e. pleasant-vibrant) are spaced 45 degrees apart, whereas opposing ones (i.e. pleasant-annoying) are 180 degrees apart (Fig. 1). From these eight attributes, the formulas in ISO/TS 12913-3 yield the indices Pleasantness and Eventfulness, which are displayed in a two-dimensional Eventfulness-Pleasantness coordinate system (ISO, 2025; Mitchell *et al.*, 2022).




Fig. 1. Soundscape Circumplex Model adapted from Fig. A.1 of ISO/TS 12913-3:2025 (ISO, 2025).

The Soundscape Attributes Translation Project (SATP) demonstrated that equal angular spacing between attributes is an idealized assumption and the angles depend strongly on the language in which the acoustic environment is assessed (Aletta *et al.*, 2024). The project developed a protocol for validating translations of the ISO 12913-2:2018 soundscape attributes, consisting of a headphones-based listening experiment and a four-step validation method employing various statistical analyses. Another outcome was the 2025 update of ISO/TS 12913-3, which now includes correction angles for 13 languages that successfully passed validation, to be applied when calculating Pleasantness and Eventfulness. This update ensures cross-lingual comparability of soundscape assessments.

Pleasantness (P_{ISO}) and Eventfulness (E_{ISO}) coordinates are calculated (Aletta *et al.*, 2024; ISO, 2025) using:

$$P_{ISO} = \frac{1}{\lambda_P} \sum_{i=1}^8 \cos(\theta_i) \cdot \xi_i, \quad (1)$$

$$E_{ISO} = \frac{1}{\lambda_E} \sum_{i=1}^8 \sin(\theta_i) \cdot \xi_i, \quad (2)$$

where i indexes each circumplex scale, θ_i is the adjusted angle for the i -th soundscape attribute, and ξ_i is the value for that scale. The $1/\lambda$ provides a scaling factor to bring the range of P_{ISO} , E_{ISO} values to $[-1, +1]$:

$$\lambda_P = \frac{\rho}{2} \sum_{i=1}^8 |\cos \theta_i|, \quad (3)$$

$$\lambda_E = \frac{\rho}{2} \sum_{i=1}^8 |\sin \theta_i|, \quad (4)$$

where ρ is the range of the possible response values (i.e., $\rho = 5 - 1 = 4$ for the Likert scale, $\rho = 100$ for 0 to 100 scale responses).

2. Polish version of soundscape attributes

Until now, Polish psychoacoustic research has usually assessed soundscapes differently - by determining their annoyance, comfort or discomfort (Preis *et al.*, 2015; Szychowska *et al.*, 2018; Felcyn *et al.*, 2021). Although Polish studies using ISO 12913 exist (Młynarczyk, Wiciak, 2024), the manner in which the individual attributes were translated in their questionnaires is unclear. The absence of a Polish version of ISO 12913 created the need for a validated Polish version of the soundscape attributes. Consequently, we contacted the SATP leadership to join the project as researchers from Adam Mickiewicz University in Poznań. Through our participation, we developed a validated Polish attribute set – *przyjemne, tętniące życiem, bogate w wydarzenia, chaotyczne, dokuczliwe, monotonne, ubogie w wydarzenia, spokojne* (Dumanowski *et al.*, 2025) – and obtained the adjusted angles required to calculate Pleasantness and Eventfulness (Table 1). Thus, a methodology for proper soundscape assessment in the Polish language is now established.

It should be noted that the correction angles affect only the transformation of raw attribute assessments into the Pleasantness–Eventfulness circumplex and not the soundwalk procedure or the perceptual judgments. Pleasantness and Eventfulness are calculated using language-specific correction angles to ensure cross-language and cross-cultural compatibility, while variations in angle values affect only the numerical positioning within the two-dimensional space.

The subsequent sections of this paper present the procedure and results of the first pilot soundwalk employing the validated Polish attributes and the calculation of Pleasantness and Eventfulness using the Polish correction angles.

Table 1. Polish translation of ISO/TS 12913-2:2018 soundscape attributes with obtained adjustment angles.

ISO/TS 12913-2:2018 soundscape attribute	ISO/TS 12913-3:2019 original angle	Validated Polish translation	Obtained Polish adjustment angle
Pleasant	0°	Przyjemne	0°
Vibrant	45°	Tętniące życiem	69°
Eventful	90°	Bogate w wydarzenia	91°
Chaotic	135°	Chaotyczne	128°
Annoying	180°	Dokuczliwe	176°
Monotonous	225°	Monotonne	266°
Uneventful	270°	Ubogie w wydarzenia	274°
Calm	315°	Spokojne	339°

3. Methods

3.1. Soundwalk route

On 13 May 2025 a soundwalk was carried out in the center of Poznań, Poland under dry, calm weather conditions (wind speed below 3 m/s, temperature 18.5 °C, relative humidity 38 %). The route comprised eight evaluation points (see Fig. 2) and ran from Kaponiera Roundabout to Chrobry Bridge. The first stop, P1, was the large, traffic-intensive Kaponiera Roundabout (*Rondo Kaponiera*); P2 was Mickiewicz Square (*Plac Mickiewicza*) beside St. Martin Street; P3 led into Mickiewicz Park (*Park Mickiewicza*), a green space with a fountain beside Fredry Street. P4, Freedom Square (*Plac Wolności*), is another central plaza with a fountain, while P5, Old Market Square (*Stary Rynek*), represents historical center of the city. From there the walk continued to P6, the Amphitheater (*Amfiteatr*) in a riverside park next to the cultural-

recreational KontenerART area, proceeded across P7, the Berdychowska Footbridge (*Kładka Berdychowska*) over the Warta River, and concluded at P8, Chrobry Bridge (*Most Chrobrego*), which spans the Warta River and links the heavily trafficked Estkowskiego Street and Wyszyńskiego Street.




Fig. 2. Soundwalk points in Poznań on map background (OpenStreetMap contributors, n.d.)

3.2. Participants

Thirteen participants (5 females, 8 males; age range 22–73 years; $M_{\text{age}} = 29$, $SD_{\text{age}} = 14.4$) took part in the soundwalk. The group consisted of acoustics students along with three lecturers from Adam Mickiewicz University.

3.3. Procedure

At each point the participants evaluated the soundscape using the Polish-language soundscape questionnaire translated from ISO 12913-2:2018. The survey was hosted online: participants scanned a QR code that redirected them to a pre-prepared questionnaire (FreeOnlineSurveys, n.d.). Within the form (Fig. 3) they identified audible sound sources, rated the eight soundscape attributes and could enter free comments. All ratings were given on interactive sliders ranging from 0 to 100. The structure of our questionnaire was inspired by the survey used in the article by Mitchell *et al.* (2020).

For sound-source identification the question read: “To what extent do you presently hear the following four types of sounds? (0 – not at all, 100 – dominates completely).” The four

categories presented were: traffic noise (e.g., cars, buses, trams, trains, airplanes), other noise (e.g., sirens, construction work, industrial activity, loading of goods), human sounds (e.g., conversation, laughter, children playing, footsteps), and natural sounds (e.g., birdsong, flowing water, wind in vegetation).

For the attribute assessment (pleasant, vibrant, eventful, chaotic, annoying, monotonous, uneventful, calm) it read: “To what extent do you agree or disagree that the present surrounding sound environment is...? (0 – strongly disagree, 100 – strongly agree).” The soundscape evaluation at each location lasted approximately five minutes.

W jakim stopniu słyszysz następujące cztery rodzaje dźwięków?

0 - wcale
25 - mało
50 - średnio
75 - bardzo
100 - dominuje całkowicie

5 Hałas komunikacyjny (np. samochody, autobusy, tramwaje, pociągi, samoloty)*

0 100

55

6 Inny hałas (np. syreny, budowa, przemysł, załadunek towarów)*

0 100

22

7 Dźwięki pochodzące od ludzi (np. rozmowa, śmiech, bawiące się dzieci, odgłosy kroków)*

0 100

Powered by shout

Ocena krajobrazu dźwiękowego

W jakim stopniu słyszysz...

Do jakiego stopnia zgadzasz się...

Do jakiego stopnia zgadzasz się, że dane środowisko dźwiękowe jest:

0 - zdecydowanie się NIE zgadzam
25 - raczej się NIE zgadzam
50 - nie mam zdania
75 - raczej się zgadzam
100 - zdecydowanie się zgadzam

9 Przyjemne*

0 100

80

10 Chaotyczne*

0 100

25

Powered by shout

11 Tętniące życiem *

Ocena krajobrazu dźwiękowego

W jakim stopniu słyszysz...

Do jakiego stopnia zgadzasz się...

Fig. 3. Screenshots of the Graphical User Interface for evaluating soundscape using an online questionnaire (FreeOnlineSurveys, n.d.).

While the questionnaire was being completed, binaural audio, ambisonic audio and 360° video were recorded simultaneously (see Fig. 4 for the recording setup). A calibrated recording

device (HEAD acoustics, 2014) with binaural microphones (HEAD acoustics, 2023a) was used, enabling subsequent extraction of equivalent sound levels and psychoacoustic parameters from the recorded samples. The visual environment was captured using a 360° camera (GoPro Inc., 2019), while ambisonic audio was recorded using a first-order ambisonic microphone (RØDE Microphones, 2018) with a multichannel audio recorder (Zoom Corporation, 2019).



Fig. 4. Recording setup – binaural microphones, ambisonic microphone and 360° video camera.

4. Results

4.1. Participants' subjective soundscape evaluations

Based on the ratings of the eight soundscape attributes, the indices Pleasantness and Eventfulness were computed using Eqs. (1)–(4). Figure 5 plots every single assessment (all participants at all eight points) to illustrate the spread across the two-dimensional Eventfulness-Pleasantness space. Figure 6 shows the individual Eventfulness-Pleasantness ratings for the eight Poznań locations made by the 13 soundwalk participants, together with the median value for each site. Kernel-density contours representing the 10th, 25th, 50th, and 75th percentiles are superimposed to visualize the concentration of responses. Figure 7 presents the mean perceived prominence of the four predefined sound-source categories at each location; error bars indicate the 95 % confidence intervals.




Fig. 5. All participants' ratings at all eight locations mapped onto Eventfulness-Pleasantness coordinate system.



Fig. 6. Eventfulness-Pleasantness ratings for each of the eight locations in Poznań.



Fig. 7. Mean value of perceived prominence of the four predefined sound-source categories at each location.

4.2. Objective parameters calculated from binaural recordings

In accordance with the requirements of ISO/TS 12913-3:2019, objective acoustical parameters – equivalent sound level (L_{Aeq}), loudness, N5, N95, sharpness, fluctuation strength, roughness and tonality – were extracted from approximately five-minute binaural recordings at each of the eight measurement points using standard-compliant sound analysis software (HEAD acoustics, 2023b). Because binaural recordings provide separate left- and right-ear channels, the channels were processed individually. In line with the standard, the higher of the two values was retained for every descriptor. The values of all calculated objective parameters are listed in Table 2. A visual representation of this data is shown in Fig. 8.

Table 2. Objective parameters of eight evaluated locations, calculated from binaural recordings.

Location	P1: Kaponiera Roundabout	P2: Mickiewicz Square	P3: Mickiewicz Park	P4: Freedom Square	P5: Old Market Square	P6: Amphitheater	P7: Berdychowska Footbridge	P8: Chrobry Bridge
L_{Aeq} [dB]	85.9	66.9	68.3	59.1	61.8	53.8	55.8	72.3
Loudness [sone]	53.8	24.4	24.7	15.2	16.4	10.0	11.3	29.6
N5 [sone]	45.1	25.9	26.9	18.4	16.2	10.7	13.8	35.7
N95 [sone]	12.5	13.9	21.2	11.4	10.2	5.2	5.2	11.6
Sharpness [acum]	2.45	2.02	3.94	2.60	2.15	1.69	1.80	2.44
Fluctuation Strength [vacil]	0.08	0.05	0.01	0.01	0.02	0.01	0.02	0.01
Roughness [asper]	0.04	0.05	0.03	0.02	0.03	0.02	0.03	0.04
Tonality [tuHMS]	0.21	0.26	0.14	0.16	0.18	0.17	0.15	0.16



Figure 8. Objective parameters across eight evaluated locations.

P1: Kaponiera Roundabout shows the highest values of L_{Aeq} , loudness, N5, and fluctuation strength, as well as the highest median Eventfulness, while recording the lowest median Pleasantness. P3: Mickiewicz Park has the greatest background loudness (N95) and the highest

sharpness value, and its soundscape contains the largest share of natural sounds. At P2: Mickiewicz Square, traffic noise dominates, yet among all eight sites this square also contains the highest proportion of “other” noises; it exhibits the greatest roughness and tonality. At P5: Old Market Square, human sounds represent the largest share of the soundscape. The most favorable soundscape is found in the P6: Amphitheater, where L_{Aeq} , loudness, N5, N95, sharpness, and roughness reach their lowest values, and Pleasantness is the highest of all locations. The lowest median Eventfulness is observed on P7: Berdychowska Footbridge.

5. Discussion

The individual-level data reveal a considerable spread, an expected consequence of the subjective nature of the ratings. One way to tighten the dispersion could be to brief participants beforehand on how each soundscape attribute should be interpreted; yet such instruction might introduce response bias. Although ISO 12913-2 recommends a minimum of 20 respondents, the present study was conceived as a pilot intended to test the in-situ applicability of the Polish attribute set.

All judgments were made on a continuous 0-100 slider rather than on the five-point Likert scale suggested by ISO 12913-2:2018. The finer 101-point resolution offers greater numerical precision when computing Pleasantness and Eventfulness. While this would be impractical with paper forms, the online survey interface made the slider implementation straightforward. A future experiment could explicitly compare the 0-100 slider with the five-step Likert format.

A few participants scored Eventfulness markedly differently from the majority, possibly because the Polish terms “bogate w wydarzenia” and “ubogie w wydarzenia” were misunderstood, or because momentary lapses of attention led to reversed ratings.

As expected, soundscapes dominated by traffic noise received lower Pleasantness scores than those characterized by human voices or natural sounds, confirming earlier findings (Nilsson, Berglund, 2006; Nilsson *et al.*, 2007; Axelsson *et al.*, 2010). According to Schafer’s (1993) typology, the sites studied can be classified as hi-fi environments (P3: Mickiewicz Park, P4: Freedom Square, P5: Old Market Square, P6: Amphitheater, P7: Berdychowska Footbridge) and lo-fi environments (P1: Kaponiera Roundabout, P2: Mickiewicz Square, P8: Chrobry Bridge). In general, high L_{Aeq} and high loudness are associated with low Pleasantness, whereas low values of these measures coincide with high Pleasantness. This relationship is clear in very quiet and very loud contexts, where N5, loudness and L_{Aeq} are good predictors of the

Pleasantness. In the mid-range of sound levels, the pattern weakens and exceptions emerge. For instance, P3: Mickiewicz Park was rated more pleasant than P2: Mickiewicz Square even though it showed higher L_{Aeq} , loudness, N5, N95 and sharpness, probably due to the fountain's masking effect and the presence of human voices and natural sounds. In contrast to level-related metrics, parameters describing temporal and tonal sound characteristics, such as fluctuation strength, sharpness, roughness and tonality, were not significantly associated with either Pleasantness or Eventfulness.

These results indicate that sound level alone is insufficient to predict soundscape quality. They support the view that “informational properties of soundscapes (i.e., categories of sounds) are better predictors of perceived soundscape quality than acoustic measures such as L_{Aeq} ” (Axelsson *et al.*, 2010; Nilsson, 2007).

6. Conclusions

The study presented an evaluation of eight locations in Poznań during a pilot soundwalk conducted in accordance with ISO/TS 12913-2:2018, using the validated Polish version of the soundscape attributes. The proposed methodology establishes a reference framework for Polish soundscape studies and can guide the design of more people-friendly urban acoustic environments. Future work should recruit a larger and more diverse participant pool (beyond individuals linked to acoustics) and include sites that are monotonous. Follow-up studies might also apply the soundscape assessment protocol in laboratory settings to complement the in-situ findings.

FUNDINGS

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

CONFLICT OF INTEREST

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

AUTHORS' CONTRIBUTION

Jakub Dumanowski (conceptualized the study, wrote the original draft, prepared the surveys and the sound walk, developed the methodology, curated the data, performed the analysis, and

created the visualizations). Anna Preis (developed the methodology, prepared and supervised the sound walk, and conceptualized the study). Jan Felcyn (performed the analysis, curated the data, and contributed to data interpretation). All authors reviewed and approved the final manuscript.

ACKNOWLEDGMENTS

The authors would like to thank Eryk Kozłowski for his assistance with the organization and the audiovisual recordings, and the first-year Acoustics students of Adam Mickiewicz University in Poznań for participating in the soundwalk.

References

1. Aletta F. *et al.* (2024), Soundscape descriptors in eighteen languages: translation and validation through listening experiments, *Applied Acoustics*, **224**: 110109, <https://doi.org/10.1016/j.apacoust.2024.110109>.
2. Axelsson Ö., Nilsson M. E., Berglund B. (2010), A principal components model of soundscape perception, *Journal of the Acoustical Society of America*, **128**(5): 2836-2846, <https://doi.org/10.1121/1.3493436>.
3. Dumanowski J., Felcyn J., Preis A. (2025), Polish version of soundscape attributes: translation process and preliminary validation results, [in:] *Proceedings of the 11th Convention of the European Acoustics Association Forum Acusticum / EuroNoise 2025*, Malaga, <https://doi.org/10.61782/fa.2025.0684>
4. Felcyn J., Preis A., Praszowski M., Wrzosek M. (2021), Assessment of audio-visual environmental stimuli: complementarity of comfort and discomfort scales, *Archives of Acoustics*, **46**(2): 279-288, <https://doi.org/10.24425/aoa.2021.136582>.
5. FreeOnlineSurveys (n.d.), *FreeOnlineSurveys*, <https://www.freeonlinesurveys.com> (access: 06.07.2025).
6. GoPro Inc. (2019), *GoPro MAX 360 Action Camera (Technical specification)*, from <https://gopro.com/en/us/shop/cameras/learn/max/CHDHZ-203-master.html?tab=tech-specs> (access: 16.01.2026)
7. HEAD acoustics GmbH (2014), *SQuadriga II – Mobile recording and playback system (Technical specification)*, from <https://documents.thermofisher.com/TFS-Assets/ANZ/Datasheets/head-acoustics-squadriga-II-recording-playback-ds.pdf> (access: 16.01.2026)

8. HEAD acoustics (2023a), *BHS II – Binaural Headset for Aurally Accurate Recording and Playback (Technical specification)*, from <https://cdn.head-acoustics.com/fileadmin/data/en/Data-Sheets/AH-BR/BHS-II-Binaural-Headset-3322-Data-Sheet.pdf> (access 16.01.2026)
9. HEAD acoustics (2023b), *ArtemiS SUITE Software (Datasheet)*, from <https://cdn.head-acoustics.com/fileadmin/data/en/Data-Sheets/AS/D50000-ArtemiS-SUITE-Overview.pdf> (access 16.01.2026)
10. International Organization for Standardization (2014), Acoustics — Soundscape. Part 1: Definition and conceptual framework (ISO Standard No. ISO 12913-1:2014), <https://www.iso.org/standard/52161.html>.
11. International Organization for Standardization (2018), Acoustics — Soundscape. Part 2: Data collection and reporting requirements (ISO Standard No. ISO/TS 12913-2:2018), <https://www.iso.org/standard/75267.html>.
12. International Organization for Standardization (2025), Acoustics — Soundscape. Part 3: Data analysis (ISO Standard No. ISO/TS 12913-3:2025), <https://www.iso.org/standard/86955.html>.
13. Mitchell A. *et al.* (2020), The Soundscape Indices (SSID) Protocol: A Method for Urban Soundscape Surveys - Questionnaires with Acoustical and Contextual Information, *Applied Sciences*, **10**: 2397, <https://doi.org/10.3390/app10072397>.
14. Mitchell A., Aletta F., Kang J. (2022), How to analyse and represent quantitative soundscape data, *JASA Express Letters*, **2**(3): 037201, <https://doi.org/10.1121/10.0009794>.
15. Młynarczyk D., Wiciak J. (2024), Virtual Reality Technology in Analysis of the Sarek National Park Soundscape in Sweden, *Archives of Acoustics*, **49**(3): 319-329, <https://doi.org/10.24425/aoa.2024.148802>.
16. Nilsson M. E., Berglund B. (2006), Soundscape quality in suburban green areas and city parks, *Acta Acustica united with Acustica*, **92**(6): 903-911.
17. Nilsson M. E. (2007), A-weighted sound pressure level as an indicator of perceived loudness and annoyance of road-traffic sound, *Journal of Sound & Vibration*, **302**: 197-207, <https://doi.org/10.1016/j.jsv.2006.11.010>.
18. Nilsson M. E., Botteldooren D., De Coensel B. (2007), Acoustic indicators of soundscape quality and noise annoyance in outdoor urban areas, [in:] *Proceedings of the 19th International Congress on Acoustics (ICA 2007)*, Madrid, <https://doi.org/1854/10363>.
19. OpenStreetMap contributors (n.d.), *OpenStreetMap geospatial database*, <https://www.openstreetmap.org/> (access: 06.07.2025).

20. Preis A., Kociński J., Hafke-Dys H., Wrzosek M. (2015), Audio-visual interactions in environment assessment, *Science of the Total Environment*, **523**: 191-200, <https://doi.org/10.1016/j.scitotenv.2015.03.128>.
21. RØDE Microphones (2018), *RØDE NT-SF1 Ambionic Microphone (Technical specification)*, from https://edge.ode.com//pdf/products/94/NT-SF1_V02.pdf (access: 16.01.2026)
22. Schafer R. M. (1993), *Our Sonic Environment and the Soundscape: The Tuning of the World*, Destiny Books, Rochester.
23. Szychowska M., Hafke-Dys H., Preis A., Kociński J., Kleka P. (2018), The influence of audio-visual interactions on the annoyance ratings for wind turbines, *Applied Acoustics*, **129**: 190-203, <https://doi.org/10.1016/j.apacoust.2017.08.003>.
24. ZOOM Corporation (2019), *Zoom F6 Field Recorder (Technical specification)*, from <https://gopro.com/en/us/shop/cameras/learn/max/CHDHZ-203-master.html?tab=tech-specs> (access: 16.01.2026)